


Architectural floor plan of a building, likely a parking garage or multi-story structure, showing a complex layout with multiple rooms, corridors, and a large parking area at the bottom. The drawing is annotated with dimensions, room numbers, and technical specifications. A large 'WZORY' watermark is visible across the plan.


Key features and annotations include:

- Dimensions:** Numerous numerical dimensions are provided throughout the plan, indicating room sizes, corridor widths, and overall building dimensions. For example, a large room at the bottom right is labeled '100,00' and '10,00'.
- Room Numbers and Labels:** Various rooms are labeled with numbers and names, such as 'kuchnia' (kitchen), 'łazienka' (bathroom), 'sypialnia' (bedroom), 'korytarz' (corridor), and 'parking' (parking).
- Technical Specifications:** The plan includes detailed technical specifications for various elements, such as 'skup S1 25x25 żelbet.' (reinforced concrete slab S1 25x25), 'podłoga' (floor), and 'ściana' (wall).
- Structural Elements:** The drawing shows structural elements like walls, columns, and slabs, with specific annotations for their construction and reinforcement.
- Parking Area:** A large parking area is located at the bottom of the plan, with several cars shown parked. The area is labeled 'parking' and '100,00'.
- Orientation and Scale:** The plan includes a north arrow and a scale bar, indicating the orientation and scale of the drawing.

PRZEKRÓJ




- proponowane rodzaje wystroju w zależności od miejsca zastosowania:
- 1. balkon/podłoga (w tym na gruncie) – "Termo Organika dach - podłoga"
 - 2. dach / stropodach – "Termo Organika dach - podłoga"
 - 3. ściany zewnętrzne – "Termo Organika Isolat"
 - 4. fundamenty – "Termo Organika fundament"
- dla budynków o podwyższonej energooszczędności:
- 1. balkon/podłoga (w tym na gruncie) – "Termo Organika dach - podłoga"
 - 2. ściany zewnętrzne – "Termo Organika TermoPlus Isolat"
 - 3. fundamenty – "Termo Organika TermoPlus fundament"
- *** proponowane wnętrza mineralizowane w zależności od miejsca zastosowania:
- "Wnętra Kleszczonka w Ecoce Termo Isolat"
 - 1. dach/ściana – Classic 029, Classic 035, Umi 039, Umi 039
 - 2. strop wewnętrzny – Classic 039, Classic 041
 - 3. ściana wewnętrzna – Classic 035, Umi 039, Umi 039
 - 4. podłoga wewnętrzna – Classic 029, Umi 039, Umi 039
- *** proponowane wnętrza w zależności od miejsca zastosowania:
- 1. "Dachówka ceramiczna Ceresit"
 - 2. "Dachówka cementowa Umi"
 - 4. "Błachka plastikowa, łączona łukowo"
 - 5. "Beton bluszczu"
 - *** kompletny system ociepleń Termo Organika
 - *** dach dwiema warstwami
 - *** w razie zmiany materiału np. na styropian lub wełnę mineralną
 - *** przydatność ociepleń Termo Organika




- [illegible]




ELEWACJA FRONTOWA :





ELEWACJA TYLNA :



ELEWACJA BOCZNA :